

IDM UID 89S7BV

VERSION CREATED ON / VERSION / STATUS

17 Oct 2022 / 1.1 / Approved

EXTERNAL REFERENCE / VERSION

Technical Specifications (In-Cash Procurement)

Technical Specification- DMS Cryogenics engineering and integration expert activities

Technical Specification- DMS Cryogenics engineering and integration expert activities

Table of Contents

I	ľ	URPUSE	
2	S	COPE	2
3	D	DEFINITIONS	2
4	R	REFERENCES	2
5	E	STIMATED DURATION	3
6	W	VORK DESCRIPTION	3
	6.1	Introduction	3
	6.2	Cryogenic Engineering and Integration	3
	6.3	Engineering documentation	4
	6.4	Contract management	4
7	R	RESPONSIBILITIES	4
	7.1	Contractor's obligations	4
	7.2	Obligations of the ITER Organization	5
8	L	IST OF DELIVERABLES AND DUE DATES	5
9	A	ACCEPTANCE CRITERIA	6
1	0 S	PECIFIC REQUIREMENTS AND CONDITIONS	6
1	1 W	VORK MONITORING / MEETING SCHEDULE	6
12	2 D	DELIVERY TIME BREAKDOWN	6
1.	3 Q	QUALITY ASSURANCE (QA) REQUIREMENTS	6
1	4 C	CAD REQUIREMENTS (IF APPLICABLE)	7
14	5 S	AFETY REOUREMENTS	7

1 Purpose

The purpose of this technical specification (ITER_D_89S7BV) is to outline and define how the development of the Disruption Mitigation System (DMS) shall be supported towards the FDR.

2 Scope

This document concerns DMS cryogenics engineering and integration expert activities performed for the DMS.

3 Definitions

For a complete list of ITER abbreviations see: ITER Abbreviations (ITER D 2MU6W5).

Acronym	Meaning				
ALARA	As Low As Reasonably Achievable				
CAD	Computer Aided Design				
DA	Domestic Agency				
DET	Data Exchange Transfer				
DFW	Diagnostic First Wall				
DIR	Design Integration Review				
DMS	Disruption Mitigation System				
DSM	Diagnostic Shielding Module				
EP	Equatorial port				
FDR	Final Design Review				
FP	First Plasma				
HFE	Human Factors and Ergonomics				
HIRA	Hazard Identification and Risk Assessment				
HoF	Human Organizational Factor				
IO	ITER Organization				
ISS	Interspace Support Structure				
ORE	Occupational Radiation Exposure				
PCSS	Port Cell Support Structure				
PDR	Preliminary Design Review				
PFPO-1	Pre-Fusion Plasma Operation 1				
PI	Port Integrator				
PIA	Protection Important Activity				
PIC	Protection Important Component				
PP	Port Plug				
RH	Remote Handling				
RO	Responsible Officer				
SDDR	Shutdown Dose Rate				

4 References

- [1] ITER D 27ZRW8 Project Requirements
- [2] ITER D BEJQWA SRD 18.DM
- [3] ITER D 45P8YK Defined requirements PBS 18 DMS
- [4] ITER D 2NC6CB 18.DM System Design Description for DMS.

- [5] ITER D RUGWUK Safe Access for Maintainability
- [6] ITER D 258LKL Quality Assurance for ITER Safety Codes
- [7] ITER D QUK6LF ITER Human & Organizational Factors Policy
- [8] ITER D 2MU6W5 ITER Abbreviations
- [9] ITER D KTU8HH Software Qualification Policy
- [10] ITER D PSTTZL List of ITER-INB Protections Important Activities
- [11] ITER_D_7M2YKF v1.7 Order dated 7 February 2012 relating to the general technical regulations applicable to INB EN

5 Estimated Duration

The overall duration of this work is 12 months.

6 Work description

The work involves provision of technical expertise and to work together with the IO-TRO and the DMS design team primarily. It involves many areas of activity that have to be supported.

6.1 Introduction

The purpose of the ITER Disruption Mitigation System (DMS) is to provide machine protection in order to reduce the detrimental effects of plasma disruptions and to ensure the appropriate lifetime of all affected ITER components. It utilises cryogenic hydrogen and neon pellets which are generated inside the injectors which are located in the Interspace Support Structure (ISS). These pellets are pneumatically propelled in the time frame of milliseconds towards the plasma and just before entering the plasma are shattered into small fragments to enter the plasma and to reduce damage to the plasma facing components and other structures inside the ITER tokamak. A typical injector design for the equatorial ports can be seen in fig. 1.




Figure 1 Typical DMS in EP integrated into the ISS and PCSS.

6.2 Cryogenic Engineering and Integration

The objective is to continuously support the DMS design. The list of specific and general activities expected to be performed is

• Development and integration of cryogenic components and services in the B11 galleries, vertical shafts and port cells.

- o Including management of procurement contracts with industry.
- Development of cryogenic components and services in the ISS and Port Cell Support Structure (PCCS) and integration solutions:
 - finding adequate space for the DMS components ensuring installation, assembly, inspection and maintenance,
 - support the development of services, their routing and integration,
 - participation in the development of the connection of the services between ISS and PCSS, between ISS and building, between PCSS and building,
 - manage the relevant CAD models,
- Support Design reviews (e.g. PDR, FDR),
- Support Design Integration reviews (DIR);
- Support of maintenance operations development in the ISS and PCSS areas including area in between closure plate and ISS;
- Support of cryogenic and gas supply component installation activities
- Carrying out other related engineering tasks, upon line management request.

6.3 Engineering documentation

Some of the technical documentation which maybe expected to be prepared are

- Bill of Materials;
- documents to be used to define interfaces
- interface sheets
- provision of Engineering Work Packages
- input to any other required ITER design documentation

Furthermore it may be expected

- to participate in regular DMS group meetings;
- to participate in design and integration reviews;
- contribute or provide presentation related to mechanical design, integration and assembly;

6.4 Contract management

Some of the activities, which maybe expected are

- Technical specifications
- Management and execution of contracts with suppliers of cryogenic components and services
- Review of deliverables.

7 Responsibilities

7.1 Contractor's obligations

In order to successfully perform the tasks in these Technical Specifications, the Contractor shall:

- Strictly implement the IO procedures, instructions and use templates;
- Provide experienced and trained resources to perform the tasks;
- Contractor's personnel shall possess the qualifications, professional competence and experience to carry out services in accordance with IO rules and procedures;
- Contractor's personnel shall be bound by the rules and regulations governing the IO ethics, safety and security IO rules.

The official language of the ITER project is English. Therefore, all input and output documentation relevant to this Contract shall be in English. The Contractor shall ensure that all the professionals in charge of the Contract have an adequate knowledge of English, to allow easy communication and adequate drafting of technical documentation. This requirement also applies to the Contractor's staff working at the ITER site or participating in meetings with the ITER Organization.

7.2 Obligations of the ITER Organization

The ITER Organization shall

- Nominate the Responsible Officer to manage the Contract;
- Organise regular meeting(s) on work performed;
- Provide offices at IO premises.

The ITER Organization shall in addition give the possibility to the contractor to review documents on the ITER documents database (IDM). Furthermore the IO shall make all technical data and documents available to the Contractor which will be required to carry out its obligations in a timely manner.

8 List of deliverables and due dates

N°	Target date (months)	Deliverable description
D1	T0+3	Initial assessment and design support of the overall DMS cryogenic system. Manage the ongoing procurement and support the acceptance and installation of delivered cryogenic hardware. Provide documentation in preparation of the FDR. Provide a report on IDM summarising the progress of these activities.
D2	T0+6	Progress the cryogenic design and implementation/installation activities. Support the execution of the FDR. Support the chit resolution plan. Provide a report on IDM summarising the progress of these activities.
D3	T0+9	Contribute to the FDR chit resolution plan and resolution implementation. Progress the cryogenic design and implementation/installation activities. Provide a report on IDM summarising the progress of these activities.
D4	T0+12	Contribute to the FDR close out. Progress the cryogenic design and implementation/installation activities. Provide a report on IDM summarising the progress of these activities.

9 Acceptance Criteria

The deliverables will be posted in the Contractor's dedicated folder in IDM, and the acceptance by the IO will be recorded by the approval of the designated IO TRO. These criteria shall be the basis of acceptance by IO following the successful completion of the services. These will be in the form of reports as indicated in section 8, Table of deliverables.

10 Specific requirements and conditions

In order to complete the tasks in a timely manner the following experiences are required:

- Experience in mechanical engineering
- Experience in cryogenic engineering
- Experience in contract management
- Experience in designing components for Ultra High Vacuum environment
- Experience with the design of pressurised systems and vacuum vessels
- Experience with design and integration of cryogenic transfer lines
- Experience with the design of cryogenic equipment such as cryogenic distribution hardware and cryogenic pumps
- Experience in working with CATIA V5
- Experience with the ENOVIA database
- Experience with HAZOP and FEMECA analysis
- Experience with design, procurement, installation and commissioning of cryogenic
- Work experience in nuclear, nuclear fusion or environments where ionising radiation and neutrons, vacuum and magnetic fields are present

11 Work Monitoring / Meeting Schedule

Work is monitored through reports (see List of Deliverables section).

The Contractor will work predominantly work on the IO site.

12 Delivery time breakdown

T0 is the date of the contract signature. See Section 8 List *Deliverables section and due dates*.

13 Quality Assurance (QA) requirements

The organisation conducting these activities should have an ITER approved QA Program or an ISO 9001 accredited quality system.

The general requirements are detailed in <u>ITER Procurement Quality Requirements</u> (ITER_D_22MFG4).

Prior to commencement of the task, a Quality Plan must be submitted for IO approval giving evidence of the above and describing the organisation for this task; the skill of workers involved in the study; any anticipated sub-contractors; and giving details of who will be the independent checker of the activities (see <u>Procurement Requirements for Producing a Quality Plan (ITER D 22MFMW)</u>).

Documentation developed as the result of this task shall be retained by the performer of the task or the DA organization for a minimum of 5 years and then may be discarded at the direction of the IO. The use of computer software to perform a safety basis task activity such as

analysis and/or modelling, etc. shall be reviewed and approved by the IO prior to its use, in accordance with Quality Assurance for ITER Safety Codes (ITER D 258LKL).

14 CAD Requirements (if applicable)

For the contracts where CAD design tasks are involved, the following shall apply:

The Supplier shall ensure that all designs, CAD data and drawings delivered to IO comply with the Procedure for the Usage of the ITER CAD Manual (2F6FTX), and with the Procedure for the Management of CAD Work & CAD Data (Models and Drawings 2DWU2M).

Drawing Registration in the IO system shall be performed according to the Procedure for the Management of Diagrams and Drawings in pdf Format Using the SMDD Application (KFMK2B).

The reference scheme is for the Supplier to work in a fully synchronous manner on the ITER CAD platform (see detailed information about synchronous collaboration in the ITER P7Q3J7 - Specification for CAD data Production in ITER direct contracts). This implies the usage of the CAD software versions as indicated in CAD Manual 07 - CAD Fact Sheet (249WUL) and the connection to one of the ITER project CAD data-bases. Any deviation against this requirement shall be defined in a Design Collaboration Implementation Form (DCIF) prepared and approved by DO and included in the call-for-tender package. Any cost or labour resulting from a deviation or non-conformance of the Supplier with regards to the CAD collaboration requirement shall be incurred by the Supplier.

15 Safety requirements

ITER is a Nuclear Facility identified in France by the number-INB-174 ("Installation Nucléaire de Base").

For Protection Important Components (PIC) the French Nuclear Regulation must be observed, in application of the Article 14 of the ITER Agreement.

In such case the Suppliers and Subcontractors must be informed that:

- The Order 7th February 2012 applies to all the components important for the protection (PIC) and the activities important for the protection (PIA).
- The compliance with the INB-order must be demonstrated in the chain of external contractors.
- In application of article II.2.5.4 of the Order 7th February 2012, contracted activities for supervision purposes are also subject to a supervision done by the Nuclear Operator.

For the Protection Important Components, structures and systems of the nuclear facility, and Protection Important Activities (as per *ITER D PSTTZL*) the contractor shall ensure that a specific management system is implemented for his own activities and for the activities done by any Supplier and Subcontractor following the requirements of the Order 7th February 2012 [11]

Compliance with ITER D 45P8YK Defined requirements PBS 18 DMS is mandatory.

Note: DMS Design activities are PIA

Refer the Quality class and Safety Class as per the SRD document (BEJQWA)